

IEEE Search

Author Search

- **Mark Day**
- **Gang Lu**
- **Barbara Liskov**
- **James O'Toole**

Text Search

test <near/2> url

(dns or proxy) and server and ip <near/2> address and client

ip <near/2> address and ((domain or host) <near/2> name)

	L #	Hits	Search Text	DBs
1	L1	2562	(signal with carrier adj wave).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	65	(signal with carrier adj wave with adapted).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	2	5848378.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	1981 2	(dns or domain adj name or server) with log\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	5735 7	(dns or domain adj name or server) with request\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	776	(url or universal adj resource adj locator) with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	191	(url or universal adj resource adj locator) with cache with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	159	(url or universal adj resource adj locator) with cache with (proxy or dns or domain adj name adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	57	authoritative near4 server and ip adj address and (dns or "domain name server") and server.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	73	authoritative near4 server and ip adj address and (dns or "domain name server") and resolv\$3 near4 (name or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L12	70	authoritative near4 server and ip adj address and (dns or "domain name server") and (host adj name or url)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L13	33	9 and 10 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L14	136	(associat\$3 or match\$3 or correlat\$3 or correspond\$3) with client with (dns or domain adj name adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
14	L15	21	(associat\$3 or match\$3 or correlat\$3 or correspond\$3) with client with (dns or domain adj name adj server).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L16	5	"6332158"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	9	(log\$4 or list or register\$4) near5 request\$4 near4 resolve\$4 near6 (host adj name or url or ip adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L18	93	(domain adj name adj (server or service)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L19	23	18 and (log\$4 or list or register\$4) near5 (host adj name or url or ip adj address or domain adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L20	2106	(log\$4) near5 (host adj name or url or ip adj address or domain adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L21	583	(domain adj name adj (server or service)).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L22	52	20 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L23	1711 367	"52" and (@prad<20000821 or @ad<20000821)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L24	25	22 and (@prad<20000821 or @ad<20000821)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L25	11	bunjob.xa. and (international adj business adj machines).as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
25	L26	19	("5379296" "5560038" "5596723" "5623605" "5734865" "5740438" "5751971" "5758070" "5835720" "5835725" "5850526" "5959990" "6016388" "6018767" "6032197" "6047325" "6049826" "6115385" "6128294").PN.	USPAT
26	L27	2	"20030093523"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	11	test adj url	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	5	1 and ip adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	51	(reconcil\$3 or resolv\$4 or resolution) near3 (ip adj address) near5 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	170	(reconcil\$3 or resolv\$4 or resolution) near3 (host adj name or domain adj name) near5 (proxy or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	23	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	9	((reconcil\$3 or resolv\$4 or resolution or match\$3 or correlat\$4) near3 (ip adj address) near5 client) with (host adj name or domain adj name) with (server or proxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	795	709/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	2014	709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	36	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	588	(dns or domain adj name server or proxy adj server) same client same server same ip adj address same (host adj name or domain adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	195	10 same (match\$3 or log\$4 or regist\$6 or correlat\$4 or test or probe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	83	11 and (@ad<20000821 or @prad<20000821)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	1	"6505254"	USPAT
2	L2	8	(False or pseudo or unassigned or fake) near3 (host or domain) adj name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L4	0	send\$4 near3 (unknown or unassigned) near3 (url or host adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L5	2	send\$4 near3 (unknown or unassigned or test or false or fake) near3 (url or host adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L3	7	(authoritative adj server) and (ip adj address) and (host adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	1772	709/223.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB